

Dutian  
Dutian  
Dutian  
Dutian  
Dutian

U N L O C K  
y o u r d r e a m s



INTRODUCING  
**18 NEW**  
INNOVATIVE  
DESIGNS



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ**<sup>TM</sup>  
DESIGNER DOOR SKINS



\* Products are available as FSC<sup>®</sup>certified upon request

**CEDAR DECOR PVT. LTD.**

A-1 / 1001, 10<sup>th</sup> Floor, Palladium, Corporate Rd, Makarba,  
Ahmedabad - 380015, Gujarat.

Ph.: +91 (79) 2970 5335/ 6 / 7 | M.: +91 98796 04881 | Fax : +91 (79) 2970 5338  
mail@cedariandia.com | www.cedarindia.com



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ**<sup>TM</sup>  
DESIGNER DOOR SKINS

# FIGURE WOODZ™

## DESIGNER DOOR SKINS

### ABOUT US:


"First impression is the last impression." Inspired by this principal rule of the interior design industry. Durian, a national leader in the furniture market, started its state-of-art facility for the manufacturing of decorative High Pressure Laminates. Decorative laminates are used to customize and beautify the surface of plywood and other base materials so as to suite the aesthetics and interiors of any given space.

We have also incorporated a 7-point Quality Control System to ensures that every single one of the laminates sheets goes through seven different quality control check points during its production period. Our consistent and strategic quality control systems, all the way from the raw material input level to the finished goods level has accredited us with ISI 2046 : 1995 certification. Our modern and a governed management protocols have accredited us with the prestigious ISO 9001 : 2008 certification. One ability to minimize harmful effects on the environment and to achieve continual improvement of our environmental performance has enabled us to get certified with ISO 14001 : 2004. Moreover, laminates produced in our facility also meets the British European Standard BS EN 438 and the American NEMALD - 3 standards.

Our facility has a state-of-the-art chemical plant, which manufacture refined in the production of laminates. Having a modern plant allows our R&D team to experiment with innovative materials to produce quality resins that will stand the test of time. As a result, we are the only brand in the country to offer BFT (Borer, Fungus, Termite) Guard for all our laminates.



\* Products are available as FSC certified upon request



**SERIES - B (CNC)**  
ENGRAVABLE DIGITAL DOOR MATT

**SERIES - A**  
LASER CUT METAL SUEDE

**SERIES - B**  
DIGITAL DOOR GLOSSY & DIGITAL DOOR MATT  
DOUBLE DOOR MATT & WARDROBE MATT


**SERIES - C**  
CUT & PASTE WITH METAL SUEDE

**SERIES - D**  
CUT & PASTE SUEDE

**SERIES - E**  
ECO PRINTED DOOR MATT & SUEDE

**SERIES - F**  
VENEER PRINT DOOR SUEDE

CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ™**  
DESIGNER DOOR SKINS



WWW



# SERIES - B (CNC)

## ENGRAVABLE DIGITAL DOOR MATT

Suitable for both homes and work places. Our door collection are as functional and durable as they are aesthetic.



FW 268 - MT 05



FW 266 - MT 06



FW 267 - MT 07



FW 263 - MT 09



FW 264 - MT 10



FW 261 - MT 11



FW 265 - MT 13




FW 262 - MT 14


CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



ENGRAVABLE DIGITAL DOOR  
MATT - CNC



SERIES - B



New

FW 268 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B



New


FW 266 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.





# ENGRAVABLE DIGITAL DOOR MATT - CNC



SERIES - B



New

FW 267 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.





ENGRAVABLE DIGITAL DOOR  
MATT - CNC



SERIES - B



New

FW 263 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B



New


FW 264 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.





# ENGRAVABLE DIGITAL DOOR MATT - CNC



SERIES - B



New

FW 261 - MT  
7x3.25 Feet


-  TERMITE PROOF
-  IMPACT RESISTANT
-  EXCELLENT STAIN RESISTANCE

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.





ENGRAVABLE DIGITAL DOOR  
MATT - CNC



SERIES - B



New

FW 265 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.



-  TERMITE PROOF
-  IMPACT RESISTANT
-  EXCELLENT STAIN RESISTANCE



SERIES - B



New

FW 262 - MT  
7x3.25 Feet

SCAN QR CODE AND DOWNLOAD THE ENGRAVING  
DESIGN FILE FOR CNC CUTTING IN .art cam FORMAT.








# SERIES - A LASER CUT METAL SUEDE

These laser cut metal suede will provide the appropriate Charm to your living. Showing your creativity for your house and office.



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ**<sup>TM</sup>  
DESIGNER DOOR SKINS




WWW




FW 241 - MT

17




FW 244 - MT

18



FW 243 - MT

19



FW 245 - MT


20

CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.





LASER CUT METAL  
SUEDE



SERIES - A



FW 241 - SF  
7x3.25 Feet

LASER CUT FOIL SIZE : 300x1200 MM



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - A




FW 244 - SF  
7x3.25 Feet

LASER CUT FOIL SIZE : 300x1200 MM





LASER CUT METAL  
SUEDE



SERIES - A



FW 243 - SF  
7x3.25 Feet

LASER CUT FOIL SIZE : 203x2190 MM



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - A



FW 245 - SF  
7x3.25 Feet

LASER CUT FOIL SIZE : 300x1200 MM





DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ™**  
DESIGNER DOOR SKINS



WWW



## SERIES - B DIGITAL DOOR GLOSSY

A touch of elegance and style to your entrance. Find more stylish and unique door designs for your home.



FW 258 - HG+ 23



FW 257 - HG+ 25



FW 260 - HG+ 26



FW 259 - HG+ 27




FW 111 - HG+ 29



FW 112 - HG+ 30



FW 113 - HG+ 31



FW 114 - HG+ 32



FW 115 - HG+ 33



FW 116 - HG+ 34



FW 117 - HG+ 35



FW 118 - HG+ 36



FW 119 - HG+ 37



FW 120 - HG+ 38



FW 121 - HG+ 39



FW 123 - HG+ 40



FW 124 - HG+ 41




FW 126 - HG+ 42

CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



DIGITAL DOOR  
GLOSSY



SERIES - B



New

FW 258 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE





DIGITAL DOOR  
GLOSSY



SERIES - B



New

FW 257 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B




New

FW 260 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY




SERIES - B



New


-  TERMITE PROOF
-  IMPACT RESISTANT
-  EXCELLENT STAIN RESISTANCE

FW 259 - HG+  
7x3.25 Feet





DIGITAL DOOR  
GLOSSY



SERIES - B



FW 111 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B




FW 112 - HG+  
7x3.25 Feet





DIGITAL DOOR  
GLOSSY



SERIES - B



FW 113 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 114 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY



SERIES - B



FW 115 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 116 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY



SERIES - B



FW 117 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 118 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY



SERIES - B



FW 119 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 120 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY



SERIES - B



FW 121 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 123 - HG+  
7x3.25 Feet



DIGITAL DOOR  
GLOSSY



SERIES - B



FW 124 - HG+  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE



SERIES - B



FW 126 - HG+  
7x3.25 Feet



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ™**  
DESIGNER DOOR SKINS



WWW



# SERIES - B

## DIGITAL DOOR MATT DOUBLE DOOR MATT & WARDROBE MATT

Our unique door skin collections exhibit an extraordinary passion and craftsmanship. An identity to accommodate the entire design of your home with a digital matt combination.



FW 234 - MT 45



FW 229 - MT 47



FW 230 - MT 48




FW 246 - MT 49



FW 131 - MT 50



FW 133 - MT 51



FW 134 - MT 52




FW 135 - MT 53



FW 136 - MT 54



FW 137 - MT 55



FW 138 - MT 57



FW 139 - MT 58



FW 141 - MT 59



FW 142 - MT 60



FW 143 - MT 61




FW 145 - MT 62

CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



# DIGITAL DOUBLE DOOR MATT



SERIES - B



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE

FW 234 - MT  
7x3.25 Feet


The vertical line printed is for indication.  
The actual sheet will not have vertical bisecting line.







DIGITAL DOOR  
MATT



SERIES - B



FW 229 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 230 - MT  
7x3.25 Feet



DIGITAL DOOR  
MATT



SERIES - B



FW 246 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B




FW 131 - MT  
7x3.25 Feet





DIGITAL DOOR  
MATT



SERIES - B



FW 133 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 134 - MT  
7x3.25 Feet



DIGITAL DOOR  
MATT



SERIES - B



FW 135 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 136 - MT  
7x3.25 Feet



DIGITAL DOOR  
MATT



SERIES - B



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE

FW 137 - MT  
7x3.25 Feet





DIGITAL DOOR  
MATT



SERIES - B



FW 138 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 139 - MT  
7x3.25 Feet



DIGITAL DOOR  
MATT



SERIES - B



FW 141 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - B



FW 142 - MT  
7x3.25 Feet



DIGITAL DOOR  
MATT



SERIES - B



FW 143 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - B



FW 145 - MT  
7x3.25 Feet



**SERIES - C**  
CUT & PASTE WITH METAL SUEDE

**SERIES - D**  
CUT & PASTE SUEDE



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ**<sup>TM</sup>  
DESIGNER DOOR SKINS




WWW



CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



CUT & PASTE WITH METAL  
SUEDE



SERIES - C



New

FW 270 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - C




New

FW 272 - SF  
7x3.25 Feet



CUT & PASTE WITH METAL  
SUEDE



SERIES - C



New

FW 271 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE





CUT & PASTE WITH METAL SUEDE



SERIES - C



New

FW 273 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN RESISTANCE



SERIES - C




New

FW 274 - SF  
7x3.25 Feet





CUT & PASTE WITH METAL SUEDE



SERIES - C



New

FW 269 - SF  
7x3.25 Feet

-  TERMITE PROOF
-  IMPACT RESISTANT
-  EXCELLENT STAIN RESISTANCE




SERIES - C



FW 252 - SF  
7x3.25 Feet



CUT & PASTE WITH METAL SUEDE



SERIES - C



FW 254 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN RESISTANCE



SERIES - C




FW 253 - SF  
7x3.25 Feet





CUT & PASTE WITH METAL  
SUEDE



SERIES - C



FW 147 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - C



FW 148 - SF  
7x3.25 Feet



CUT & PASTE WITH METAL  
SUEDE



SERIES - C



FW 149 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - C




FW 150 - SF  
7x3.25 Feet





CUT & PASTE WITH METAL  
SUEDE



SERIES - C



FW 151 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - C



FW 152 - SF  
7x3.25 Feet



CUT & PASTE WITH METAL  
SUEDE



SERIES - C



FW 153 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - C




FW 154 - SF  
7x3.25 Feet





CUT & PASTE  
SUEDE



SERIES - D



FW 156 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - D



FW 157 - SF  
7x3.25 Feet



CUT & PASTE  
SUEDE



SERIES - D



FW 159 - SF  
7x3.25 Feet



TERMITE PROOF




IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE





DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ™**  
DESIGNER DOOR SKINS




WWW



# SERIES - E

## ECO PRINTED DOOR MATT & SUEDE

We have vast collection of eco printed door matt and suede that suits your requirement as per your door's surface.




FW 162 - MT 89


CONVECTIONAL STANDARD COLD PRESS LAMINATES FOR INTERIOR APPLICATIONS  
DISCLAIMER : THE ACTUAL DOOR MAY VARY DUE TO PRINTING LIMITATIONS.



ECO PRINTED DOOR  
MATT



SERIES - E



FW 162 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - E



FW 163 - MT  
7x3.25 Feet



ECO PRINTED DOOR  
MATT



SERIES - E



FW 165 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - E




FW 170 - MT  
7x3.25 Feet





ECO PRINTED DOOR MATT



SERIES - E



FW 173 - MT  
7x3.25 Feet



-  TERMITE PROOF
-  IMPACT RESISTANT
-  EXCELLENT STAIN RESISTANCE



SERIES - E




FW 174 - MT  
7x3.25 Feet







ECO PRINTED DOOR  
MATT



SERIES - E



TERMITE PROOF



IMPACT RESISTANT




EXCELLENT STAIN  
RESISTANCE

FW 176 - MT  
7x3.25 Feet





ECO PRINTED DOOR  
MATT



SERIES - E



FW 184 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - E




FW 188 - MT  
7x3.25 Feet





ECO PRINTED DOOR  
MATT



SERIES - E



FW 189 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




SERIES - E



FW 210 - MT  
7x3.25 Feet



ECO PRINTED DOOR  
MATT



SERIES - E



FW 212 - MT  
7x3.25 Feet

SERIES - E



FW 213 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




101



102



ECO PRINTED DOOR  
MATT



SERIES - E




- TERMITE PROOF
- IMPACT RESISTANT
- EXCELLENT STAIN RESISTANCE

FW 214 - MT  
7x3.25 Feet





ECO PRINTED DOOR  
MATT



SERIES - E



FW 215 - MT  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - E




FW 203 - MT  
7x3.25 Feet



105



106



DECORATIVE LAMINATES

*A Commitment To Excellence*

**FIGURE WOODZ™**  
DESIGNER DOOR SKINS



WWW



# SERIES - F

## VENEER PRINT DOOR SUEDE

By offering superior quality modern design with aesthetic performance and a wide range natural veneers. It is a modern element of any interior equipment.



FW 238 - SF

109



FW 240 - SF

110



FW 225 - SF

111



FW 226 - SF

112



FW 227 - SF

113



FW 228 - SF

114




FW 219 - SF

115



FW 220 - SF

116



FW 223 - SF

117




FW 224 - SF

118



**VENEER PRINT DOOR  
SUEDE**



SERIES - F



FW 238 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - F




FW 228 - SF  
7x3.25 Feet







**VENEER PRINT DOOR  
SUEDE**



**SERIES - F**



**FW 225 - SF**  
**7x3.25 Feet**



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE




**SERIES - F**



**FW 226 - SF**  
**7x3.25 Feet**



**VENEER PRINT DOOR  
SUEDE**



**SERIES - F**



**FW 219 - SF**  
**7x3.25 Feet**



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



**SERIES - F**




**FW 220 - SF**  
**7x3.25 Feet**





**VENEER PRINT DOOR  
SUEDE**



**SERIES - F**



**FW 227 - SF**  
**7x3.25 Feet**



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



**SERIES - F**




**FW 240 - SF**  
**7x3.25 Feet**





**VENEER PRINT DOOR  
SUEDE**



SERIES - F



FW 223 - SF  
7x3.25 Feet



TERMITE PROOF



IMPACT RESISTANT



EXCELLENT STAIN  
RESISTANCE



SERIES - F



FW 224 - SF  
7x3.25 Feet

# INDEX



**SERIES - B (CNC)**  
ENGRAVABLE DIGITAL DOOR MATT

**SERIES - A**  
LASER CUT METAL SUEDE

**SERIES - B**  
DIGITAL DOOR GLOSSY &  
DIGITAL DOOR MATT &  
DOUBLE DOOR MATT

**SERIES - C**  
CUT & PASTE WITH METAL SUEDE

**SERIES - D**  
CUT & PASTE SUEDE

**SERIES - E**  
ECO PRINTED DOOR MATT & SUEDE

**SERIES - F**  
VENEER PRINT DOOR SUEDE



SERIES - B (CNC)  
ENGRAVABLE DIGITAL DOOR MATT



FW 268 - MT 05



FW 266 - MT 06



FW 267 - MT 07



FW 263 - MT 09



FW 264 - MT 10



FW 261 - MT 11



FW 265 - MT 13



FW 262 - MT 14



SERIES - A  
LASER CUT METAL SUEDE



FW 241 - SF 17



FW 244 - SF 18



FW 243 - SF 19



FW 245 - SF 20



SERIES - B  
DIGITAL DOOR GLOSSY



FW 258 - HG+ 23



FW 257 - HG+ 25



FW 260 - HG+ 26



FW 259 - HG+ 27



FW 111 - HG+ 29



FW 112 - HG+ 30



FW 113 - HG+ 31



FW 114 - HG+ 32



FW 115 - HG+ 33



FW 116 - HG+ 34



FW 117 - HG+ 35



FW 118 - HG+ 36



FW 119 - HG+ 37



FW 120 - HG+ 38



FW 121 - HG+ 39



FW 123 - HG+ 40



FW 124 - HG+ 41



FW 126 - HG+ 42



SERIES - B  
DIGITAL DOOR MATT &  
DOUBLE DOOR MATT



FW 234 - MT 45



FW 229 - MT 47



FW 230 - MT 48



FW 246 - MT 49



FW 131 - MT 50



FW 133 - MT 51



FW 134 - MT 52



FW 135 - MT 53



FW 136 - MT 54



FW 137 - MT 55



FW 138 - MT 57



FW 139 - MT 58



FW 141 - MT 59



FW 142 - MT 60




FW 143 - MT 61



FW 145 - MT 62



SERIES - C & D  
CUT & PASTE WITH METAL SUEDE  
CUT & PASTE SUEDE



FW 270 - SF 65



FW 272 - SF 66



FW 271 - SF 67




FW 273 - SF 69



FW 274 - SF 70



FW 269 - SF 71



FW 252 - SF 72



FW 254 - SF 73



FW 253 - SF 74




FW 147 - SF 75



FW 148 - SF 76




FW 149 - SF 77



FW 150 - SF 78

# INDEX



Our standard door skin are COLD PRESS GRADE LAMINATES, which are recommended for Cold Pressing only. Company will not entertain any claim of quality if the door skin are pressed in HOT PRESS.

## CEDAR DECOR PRIVATE LIMITED

A-1 / 1001, 10th Floor, Palladium, Corporate Rd, Makarba, Ahmedabad - 380015, Gujarat  
 Ph.: +91 (79) 2970 5335 / 6 / 7 Fax : +91 (79) 2970 5338  
 www.cedarindia.com • Email: mail@cedarindia.com



\* Products are available as FSC<sup>®</sup>certified upon request

## SERIES - F VENEER PRINT DOOR SUEDE



PROPERTIES	UNIT	SPECIFIED VALUE				DURIAN RESULT	
		IS:2046/95	BSEN438	DINEN438	ISO4586-1	VGS	HGS
Surface Wear Resistance	REV.	350	350	350	350	350 Min	500 Min
Boiling Water Resistance							
• Thickness Increase	%	12.0 Max	14.0 Max	14.0 Max	14.0 Max	8	7
• Weight Increase	%	14.0 Max	12.0 Max	12.0 Max	12.0 Max	7	6
• Appearance	Grade	4	4	4	4	4	5
Dimension Stability							
• MD (Machine Direction)	L-%	0.53 Max	0.625 Max	0.625 Max	0.625 Max	0.45	0.35
• CD (Cross Direction) T-%	T-%	1.01 Max	1.100 Max	1.100 Max	1.100 Max	0.65	0.55
Resistance to High Temperature & Cigarette Burns	Grade	4	3	3	3	3	4
Resistance to Steam	Grade	4	4	4	4	4	5
Resistance to Dry Head	Grade	3	3	3	3	4	4
• Gloss	Grade	4	4	4	4	5	5
• Other	Grade	4	4	4	4	5	5
Resistance to Cracking	Grade	4	4	4	4	5	5
Resistance To Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter Ball Resistance	Newton	20	20	20	20	25	28
Specific Gravity	gm/cm <sup>3</sup>	-	-	-	-	1.38 to 1.45	1.38 to 1.45
Resistance to Staining	Grade	5	5	5	5	5	5
• Acetone	Grade	5	5	5	5	5	5
• Coffee	Grade	5	5	5	5	5	5
• Sodium Hydroxide 25% Solution	Grade	5	5	5	5	5	5
• Hydrogen Peroxide - 30%	Grade	4	4	4	4	5	5
• Shoe Polish	Grade	4	4	4	4	5	5
• Citric Acid-10 % solution	Grade	4	4	4	4	5	5
Resistance to Color Change in							
• Xenon Arc Light in Enclosed	Blue Wool Standard	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.	6 Min.
• Carbon Arc Light	Standard	5 Min.	5 Min.	5 Min.	N / A	5 Min.	5 Min.

Grade : 5-Highest, 1-Lowest, VGS-Vertical Grade Standard, HGS : Horizontal Grade Standard

### PRODUCT WARRANTY

Company provides warranty that the product is free from any manufacturing defects and is suitable to use for normal and usual purpose. In case of any visual defects, the product should not be used, cut, or altered in any manner. Company liability will be limited to the extent of the cost of the product only. The colour/shade may vary from lot to lot. Do inspect properly before using the product. Company will not entertain any claim if the product is cut or altered in any manner for any visual or appearance, shade change/difference.

Our standard Decorative Laminates are COLD PRESS GRADE LAMINATES, which are recommended for cold pressing only. Company will not entertain any claim of quality if the Laminates are pressed in HOT PRESS. HOT PRESSED GRADE laminates are available against Special Order.

\*Formation of Air Bubbles and forming of Corner Cracks are application fault, Company do not entertain these complaints\*

### PRODUCT TECHNICAL DATA & SPECIFICATIONS

Type : Conventional standard cold press interior grade laminate  
 Disclaimer : The actual door may vary due to printing laminations  
 Thickness : 0.92 mm  
 Size : 7 X 3  
 Product Standard : Comprising to  
 • British European Standard : BS EN 438  
 • American NEMA LD 3,  
 • BIS (Bureau of Indian Standard) IS:2046  
 • BIS (Bureau of Indian Standard) IS:2036  
 Grade P1 Phenolic/Electronic Insulation.  
 • ISO 4586.

### PRODUCT CARE AND MAINTENANCE

For cleaning the surface of the laminates, use dry cloth to wipe the stains. If needed can use ordinary liquid detergent (non-acidic) or ammoniated liquid. After taking a trial on small portion. Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use, wire or hard-plastic brushes, and abrasives to clean the surface.

The LUSTROUS Fancies and Wood collection are specially made laminates to give bright optical view. The properties of these laminates are very sensitive and thus should be used only for vertical applications. While cleaning these laminates use only dry cloth or wet damp cloth in natural water only.

Since, conventional laminates are made for interior decorations, should not be used for external use where there are chances for direct exposure to sunlight or any other sort of direct heat.

It is always recommended to keep the substrate horizontal while pasting the laminates. Immediate removal of pressure and vertical application should not be practiced.

Samples pasted in the folder represents the finish & design and not the actual thickness.



WWW



Customer Services  
 +91 9879604881  
 WhatsApp

QC  
 CDPL / FW / 0824  
 TRADE SAMPLE NOT FOR SALE

Technical Specifications